

# BIFACIAL N-TYPE MONO CRYSTALLINE HALF CUT MODULE - DOUBLE GLASS

550 / 555 / 560 / 565 / 570 / 575 Watts





# **Overview**

N-type solar cells (TOPCon) are seen as the technology of the future. N-type (TopCon) technology guarantees high performance and low degradation of the PV module, substantially improving the results and the yield in the time. "Lynx" Series module is the ideal solution for end users who want a Quality PV & reliable product over time and a fast turnaround on their investments.

# **Key Benefits**



Zero light induced Degradation



Higher yield per surface area



Low LCOE



30 Years Limited Product Warranty



Low Pmax Temperature Coefficient



Higher Light Conversion





Guaranteed mechanical resistance to severe weather conditions



Positive Tolerance




100 % electroluminescence tested

## Tests, Certifications and Warranties

Standard Tests	IEC 61215, IEC 61730
Factory Quality Tests	ISO 9001: 2015, ISO 14001: 2015
Certifications	Conformity to CE, PV CYCLE Fire safety Class C according to UL790
Insurance	Third party liability insurance provided by Liberty Mutual
Wind and Snow Loads Testing	Module certified to withstand extreme wind (2400 Pascal) and snow loads (5400 Pascal)
Withstanding Hail	Maximum Diameter of 25 mm with impact speed of 23 m/s
Power Tolerance	Guaranteed +0/+5W (STC condition)
Warranties	<ul> <li>30-year limited product warranty</li> <li>15-year manufacturer warranty on 93,40% of the nominal performance</li> <li>30-year transferable linear power output warranty</li> </ul>

# Linear Performance Warranty



First Year Output

**≥ 99.0**%

2-30 Year Decline

≤ 0.40%

30 Year Output

≥ **87.40**%

# BIFACIAL N-TYPE MONO CRYSTALLINE HALF CUT MODULE - DOUBLE GLASS

RCM-xxx-7DBNF (xxx=550-575)

### **Electrical Characteristics**

POWER CLASS (1)			550		555		560		565		570		575	
Testing Condition			STC (2)	NMOT (3)	STC (2)	NMOT (3)	STC (2)	NMOT (3)	STC (2)	NMOT (3)	STC (2)	NMOT (3)	STC (2)	NMOT (3)
Maximum Power	Pmax	[Wp]	550	415,1	555	418,7	560	422,5	565	426,3	570	430,0	575	433,8
Maximum Power Voltage	Vmp	[V]	41,50	38,92	41,64	39,05	41,77	39,17	41,92	39,31	42,07	39,45	42,22	39,59
Maximum Power Current	lmp	[A]	13,26	10,67	13,33	10,72	13,41	10,79	13,48	10,84	13,55	10,90	13,62	10,96
Open Circuit Voltage	Voc	[V]	50,21	47,91	50,34	48,03	50,47	48,16	50,60	48,28	50,74	48,42	50,88	48,55
Short Circuit Current	Isc	[A]	14,00	11,27	14,07	11,33	14,15	11,39	14,23	11,46	14,31	11,52	14,39	11,59
Module Efficiency	Eff	[%]	21	21,29 21,48 21,68 21,87						22,07		22,26		
Maximum Series Fuse	<b>I</b> R	[A]	30											
Maximum System Voltage	Vsys	[V]	1500V DC											

<sup>(1)</sup> Measurement Tolerances: Pmax ( $\pm$  3%), Isc & Voc ( $\pm$  3%) - Power Classification 0/+5W

#### Bi Facial Output (4)


POWER CLASS			55	550		555		560		565		570		575	
			Pmax [Wp]	Eff [%]											
	+5	[%]	577,5	22,4%	582,8	22,6%	588,0	22,8%	593,3	23,0%	598,5	23,2%	603,8	23,4%	
Power	+10	[%]	605,0	23,4%	610,5	23,6%	616,0	23,8%	621,5	24,1%	627,0	24,3%	632,5	24,5%	
with Backside Gain	+15	[%]	632,5	24,5%	638,3	24,7%	644,0	24,9%	649,8	25,2%	655,5	25,4%	661,3	25,6%	
	+20	[%]	660,0	25,5%	666,0	25,8%	672,0	26,0%	678,0	26,2%	684,0	26,5%	690,0	26,7%	
	+25	[%]	687,5	26,6%	693,8	26,9%	700,0	27,1%	706,3	27,3%	712,5	27,6%	718,8	27,8%	
	+30	[%]	715,0	27,7%	721,5	27,9%	728,0	28,2%	734,5	28,4%	741,0	28,7%	747,5	28,9%	

(4) Bifaciality Factor > 80% - Back-side power gain depends upon the specific project albedo - Efficiency is according to the surface of the module

### Mechanical Data

Dimensions	2278 mm x 1134 mm x 35 mm
Weight	32,2 Kg
Cell Type	N-Type TOPCon- 182mm x 91mm (2 x 72 Pcs) - M10
Front Glass	2.0 mm Tempered and low iron glass + ARC
Rear Side	2.0 mm Tempered and low iron glass
Frame	Anodized Aluminium Alloy
Junction Box	IP68, 3 Bypass diodes
Connector	MC4 compatible
Output cable	4mm <sup>2</sup> - Length: 350 mm or customized

### **Dimensions**




RECOM assumes no liability or responsibility for any typographical error, layout error, misinformation, any other error, omission, contained herein.

### www.recom-tech.com

### I-V Curve

The module relative power loss at low light irradiance of 200W/m² is less than 3%.



## Temperature Characteristics

Pmax Temperature Coefficient	-0.290% / °C
Voc Temperature Coefficient	-0.250% / °C
Isc Temperature Coefficient	+0.045% / °C
Operating Temperature	-40~+85°C
Nominal Operating Module Temperature (NMOT)	$42 \pm 2^{\circ}\text{C}$

## **Packing Configuration**

Container	40°HC
Pieces per Pallet	31
Pallets per Container	20
Pieces per Container	$(31+31) \times 10 = 620 pcs$

<sup>(2)</sup> STC (Standard Testing Condition). Irrandiance 1000W/m², Cell Temperature 25°C, AM 1.5

<sup>(3)</sup> NMOT (Nominal Operating Module Temperature): Irrandiance 800W/m², NMOT, Ambient Temperature 20°C, AM 1.5, Wind Speed 1m/s