

T-Black Tiger SERIES

BACKCONTACT
TECHNOLOGY

**UNLEASH THE POWER
OF THE BLACK TIGER:**

SUPERIOR PERFORMANCE
IN ANY ENVIRONMENT

WORLD'S 1st
EFFICIENCY

RECOM
TECHNOLOGIES®

BACKCONTACT TECHNOLOGY

From 430Wp & up to 610Wp

Under 2m^2 **465W+**
23,6%+ Efficiency



ADVANTAGES OF BLACK TIGER BACKCONTACT MODULES

Black Tiger modules provide numerous benefits to customers seeking a high-quality product with exceptional performance and aesthetic, captivating design.

The “Black Tiger” module utilizes N-Type cell technology in conjunction with a rear connection method known as BackContact. As a result, there is 0% front grid shadow loss, which increases the PV module’s yield. Due to reduced shading on the front of the cell, the module maximizes total cell area realizing higher efficiency and resulting in a fast return on investment.



World's 1st
Efficiency



Guaranteed mechanical
resistance to severe
weather conditions



Positive
tolerance




100% electro-
luminescence tested



KEY BENEFITS



Light induced Degradation Close to Zero



25 Years product warranty



0% Front Grid Shading loss



Low Pmax Temperature Coefficient



Low LCOE



Higher yield in hot climate

PERFORMANCE AT HIGH TEMPERATURES



HIGHER OUTPUT IN HOT CLIMATE

+2,40 %

Specific yield (kWh/kWp) due to low temperature coefficient



MORE EFFICIENT SPACE UTILIZATION

- 10,00 %


Space required for 1MWp of Black Tiger modules



HIGHER GENERATION PER UNIT

+ 2,47 %

PV plant yield/sq.m in hot climate



LOWER POWER LOSS

+ 4,40 %


PV plant yield in 30 years of using

HIGHEST EFFICIENCY IN THE WORLD

Black Tiger Series has "World's 1st" module efficiency, as it reaches up to 23.6%.

BENEFITS OF BACKCONTACT TECHNOLOGY

- No grid lines, pure black with cutting-edge all back contact cells
- +13.4% full life-cycle power generation than the traditional P-type modules
- >5% BOS reduction, significant saving on cables and mounting systems
- 100% silver-free, reliable supply than the other N-type modules



First Year Output $\geq 99.0\%$ | 2-30 Year Decline $\leq 0.35\%$ | 30 Year Output $\geq 88.85\%$

LEADING MODULE EFFICIENCY 23.6%





BACKCONTACT TECHNOLOGY



FRENCH MANUFACTURER



WWW.RECOM-TECH.COM



USA

580 California Street,
12th & 16th Floors
San Francisco,
California, CA 94104
T: +1 (415) 568 2112
E: info@recom-tech.com

GERMANY

Speditionstraße 21
Düsseldorf,
40221, Germany
T: +49 211 88231669
E: info@recom-tech.com

FRANCE

4 Avenue
Pierre Marzin
22300 Lannion, France
T: +33 0296058050
E: contact@recom-sillia.com

ITALY

Via dell' Artigianato, Z. I.,
Vanzo di San Pietro
Viminario,
PD 35020, Italy
E: info@recom-tech.com

UK

3 & 5 Hospital Approach,
Chelmsford, Essex
CM1 7FA
T: +44 01245 440302
E: info@recom-tech.co.uk

GREECE

1 Poseidonos Str.
17342, Ag. Dimitrios
Athens, Greece
T: +30 2182189858
E: info@recom-tech.com

CYPRUS

1 Avlonos Street,
Nicosia, 1075
Cyprus
T: +357 22 008009
E: info@recom-tech.com

U.A.E.

Office 801, Twin Towers,
Baniyas Street, Dubai, United
Arab Emirates. P.O.Box 41423,
T: +971(4)2678443
E: info@recom-tech.ae

SINGAPORE

Level 39, Tower 2
Marina Bay Financial Centre
10 Marina Boulevard
018983 Singapore
T: +65 68186030
E: info@recom-tech.com