

# T-Black Tiger SERIES

BACKCONTACT  
TECHNOLOGY

**UNLEASH THE POWER  
OF THE BLACK TIGER:**

EXTREME EFFICIENCY,  
FLAWLESS BLACK AESTHETICS

WORLD'S 1st  
EFFICIENCY


**RECOM**  
TECHNOLOGIES®




UNLEASH THE POWER OF THE BLACK TIGER:  
EXTREME EFFICIENCY,  
FLAWLESS BLACK AESTHETICS

## BACKCONTACT TECHNOLOGY

From 440Wp & up to 700Wp



### ADVANTAGES OF BLACK TIGER BACKCONTACT MODULES



**World's 1st  
Efficiency**

Black Tiger modules provide numerous benefits to customers seeking a high-quality product with exceptional performance and aesthetic, captivating design.

The “Black Tiger” module utilizes N-Type cell technology in conjunction with a rear connection method known as BackContact. As a result, there is 0% front grid shadow loss, which increases the PV module yield. Due to reduced shading on the front of the cell, the module maximizes total cell area realizing higher efficiency and resulting in a fast return on investment.



Guaranteed mechanical  
resistance to severe  
weather conditions



Positive  
tolerance




100% electro-  
luminescence tested



## KEY BENEFITS



Light Induced Degradation Close to Zero



25 Years Product Warranty



0% Front Grid Shading Loss



Low Pmax Temperature Coefficient



Low LCOE



Higher Yield in Hot Climate

## PERFORMANCE AT HIGH TEMPERATURES



HIGHER OUTPUT IN HOT CLIMATE

**+2,40%**

Specific yield (kWh/kWp) due to low temperature coefficient



MORE EFFICIENT SPACE UTILIZATION

**- 10,00%**


Space required for 1MWp of Black Tiger modules



HIGHER GENERATION PER UNIT

**+ 2,47%**

PV plant yield/sq.m in hot climate



LOWER POWER LOSS

**+ 4,40%**


PV plant yield in 30 years of using

### HIGHEST EFFICIENCY IN THE WORLD

Black Tiger Series has "World's 1st" module efficiency, as it reaches up to 24.5%.


### BENEFITS OF BACKCONTACT TECHNOLOGY

- No grid lines, pure black with cutting-edge all back contact cells
- +13.4% full life-cycle power generation than the traditional P-type modules
- >5% BOS reduction, significant saving on cables and mounting systems
- 100% silver-free, reliable supply than the other N-type modules



First Year Output  $\geq 99.0\%$     2-30 Year Decline  $\leq 0.35\%$     30 Year Output  $\geq 88.85\%$

**LEADING MODULE  
EFFICIENCY 24.5%**





WWW.RECOM-TECH.COM

## SOLAR ASSOCIATION MEMBERSHIPS



SolarPower  
Europe  
Member

### CYPRUS

1 Avlonos Street,  
Nicosia, 1075  
Cyprus  
T: +357 22 008009  
E: info@recom-tech.com

### FRANCE

4 Avenue  
Pierre Marzin  
22300 Lannion, France  
T: +33 0296058050  
E: contact@recom-sillia.com

### GERMANY

Königsallee 2B, 40212,  
Düsseldorf, Germany  
T: +49 211 30297156  
E: info@recom-tech.com

### GREECE

1 Poseidonos Str.  
17342, Ag. Dimitrios  
Athens, Greece  
T: +30 2182189858  
E: info@recom-tech.com

### ITALY

Office: Foro Buonaparte 12,  
Milano, Italy CAP 20121  
Factory: Via dell' Artigianato,  
San Pietro Viminario, Padova,  
Italy CAP 35020  
T: +39 0287362495  
E: info@recom-tech.com

### SINGAPORE

Level 39, Tower 2  
Marina Bay Financial Centre  
10 Marina Boulevard  
018983 Singapore  
T: +65 68186030  
E: info@recom-tech.com

### U.A.E.

Office 801, Twin Towers,  
Baniyas Street, Dubai, United  
Arab Emirates. PO.Box 41423,  
T: +971(4)2678443  
E: info@recom-tech.ae

### UK

3 & 5 Hospital Approach,  
Chelmsford, Essex  
CM1 7FA  
T: +44 01245 440302  
E: info@recom-tech.co.uk

### USA

580 California Street,  
12th & 16th Floors  
San Francisco,  
California, CA 94104  
T: +1 (561) 388 1003  
E: info@recom-tech.com